



Dover District Council

NORTH DEAL STUDY

Data Collection Report





Dover District Council

NORTH DEAL STUDY

Data Collection Report

TYPE OF DOCUMENT (VERSION) PUBLIC

PROJECT NO. 70036467

OUR REF. NO. 70036467

DATE: FEBRUARY 2018

Dover District Council

NORTH DEAL STUDY

Data Collection Report

WSP

WSP House
70 Chancery Lane
London
WC2A 1AF

Phone: +44 20 7314 5000

Fax: +44 20 7314 5111

WSP.com



QUALITY CONTROL

Issue/revision	First issue	Revision 1
Remarks	Draft for comment	FINAL
Date	17 January 2018	13 th February 2018
Prepared by	Jay Shah	Jay Shah
Signature		
Checked by	Christine Palmer	Christine Palmer
Signature		
Authorised by	Graeme Inglis	Graeme Inglis
Signature		
Project number	70036467	70036467
Report number	001	001
File reference	\\uk.wspgroup.com\central data\Projects\700364xx\70036467 - North Deal Study\02 WIP\TP Transport planning\03 Document\Reports\Data Collection Report	\\uk.wspgroup.com\central data\Projects\700364xx\70036467 - North Deal Study\02 WIP\TP Transport planning\03 Document\Reports\Data Collection Report

CONTENTS

1. INTRODUCTION	1
<hr/>	
1.1. INTRODUCTION	1
1.2. BACKGROUND	1
2. HIGHWAY DATA	3
<hr/>	
2.1. WHAT WAS COMMISSIONED	3
2.2. DATA COLLECTION TECHNIQUES	3
2.3. MANUAL CLASSIFIED COUNTS (MCC)	8
2.4. MCC AND ATC COMPARISON	14
2.5. COMPARISON OF 2015 AND 2017 ATC DATA	15
2.6. COMPARISON OF 2015 AND 2017 MCC DATA	20
List of Figures	
Figure 1: ATC Locations	3
Figure 2: Examples of Inconsistent Data – Removing Outliers	5
Figure 3: Examples of Consistent Data	6
Figure 4: Daily Traffic Variation at Site 6	7
Figure 5: MCC Locations	8
Figure 6: Common ATC Sites Locations for Comparison of 2015 and 2017 Data	15
Figure 7: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Forge Lane Northbound	16
Figure 8: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Forge Lane Southbound	16
Figure 9: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Sandwich Road Northbound	17
Figure 10: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Sandwich Road Southbound	17
Figure 11: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Honeywood Parkway Northbound	18
Figure 12: Comparison of Temporal Variation – by Vehicle Typs – 2015 vs 2017 – Honeywood Parkway Southbound	18


Figure 13: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Deal Road Northbound	19
Figure 14: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Deal Road Southbound	19
Figure 15: Site 1 Duke of York Roundabout Arms	20
Figure 16: Graph showing Traffic MCC Comparison for AM Peak Hour (08:00-09:00) – Duke of York Roundabout	22
Figure 17: Graph showing Traffic MCC Comparison for PM Peak Hour (17:00-18:00) – Duke of York Roundabout	24
Figure 18: Plan of Site 2 showing arm labels	25
Figure 19: Graph showing Traffic MCC Comparison for AM Peak Hour (08:00-09:00) – Site 2	27
Figure 20: Graph showing Traffic MCC Comparison for PM Peak Hour (17:00-18:00) – Site 2	29

List of Tables

Table 1: Average Weekday ATC Survey Dates	4
Table 2: ATC Survey Outliers	6
Table 3: MCC Analysis of Site 1 - A2 / Deal Road / Jubilee Way / A258	9
Table 4: MCC Analysis of Site 2 - Sandwich Road / A2 / Honeywood Road / Whitfield Hill	9
Table 5: MCC Analysis of Site 3 - London Road / Manor Road / Rectory Road	10
Table 6: MCC Analysis of Site 4 - Beach Street / Broad Street	10
Table 7: MCC Analysis of Site 5 - Cornwall Road / Dover Road / Archery Square	10
Table 8: MCC Analysis of Site 6 - Albert Road / Sutherland Road / London Road / Beechwood Avenue	11
Table 9: MCC Analysis of Site 7 - West Street / Queen Street / Blenheim Road	11
Table 10: MCC Analysis of Site 8 - Dover Road / Station Road / Gram's Road	12
Table 11: MCC Analysis of Site 9 - London Road / Mongeham Road	13
Table 12: MCC and ATC traffic comparison for common sites	14
Table 13 - 2015 and 2017 Common ATC Sites Number	15
Table 14: MCC Comparison between 2015 and 2017 for AM Peak Hour- Site 1	21
Table 15: MCC Comparison between 2015 and 2017 for PM Peak Hour- Duke of York Roundabout	23
Table 16: MCC Comparison between 2015 and 2017 for AM Peak Hour- Site 2	26

1

INTRODUCTION



1. INTRODUCTION

1.1. INTRODUCTION

- 1.1.1. WSP have been commissioned by Dover District Council (DDC) to enhance the 2015 Dover Transportation Model with traffic data from the Deal area. WSP will be working in close collaboration with Kent County Council (KCC) and Highways England (HE) on the project. The primary purpose this strategic transportation study is to support the development of the District Local Plan which will cover the period up to 2037.

1.2. BACKGROUND

Dover Transportation Model

- 1.2.1. The Dover Transportation Model (DTM) was created using VISUM software that was agreed by HE and KCC as being 'fit for purpose'. The DTM was used to inform and support the development of DDC's Adopted Core Strategy (2010) and Land Allocations Local Plan (2015).
- 1.2.2. In 2015 agreement was reached with DDC, HE and KCC to refresh the model with up-to-date traffic counts for the Dover area. Work on the DTM was then 'paused' until the distribution of development had been agreed with Dover District Council.

Local Plan Review

- 1.2.3. On the 1st March 2017 Dover District Council's Cabinet agreed that there was the need to commence with work on a Local Plan Review. Policy CP1 in the Council's existing Adopted Local Plan currently identifies Deal as a District Centre and a focus for urban scale development second only to Dover. Historically, Deal's ability to accommodate significant development has been constrained by transport, access and environmental considerations. At the time of writing the CS, the section regarding spatial issues in Deal (pages 48 to 50 in the Core Strategy), made a commitment to investigate these constraints, especially in and adjoining the northern area, to see whether solutions could be found for the benefit of existing residents and to create potential for further development.
- 1.2.4. Initial work was undertaken in 2011 by GVA/MVA Consultants as part of the work on the Council's Land Allocations Local Plan but unfortunately, this failed to identify a deliverable solution for the North Deal area and concluded that there was only limited development potential around the Albert Road area for new development <https://www.dover.gov.uk/Planning/Planning-Policy-and-Regeneration/Evidence-Base/Flooding.aspx> This work resulted in planning permission being granted and work is currently underway to create a new access road and a mixed use development on land at Albert Road (DOV/15/01290). Work on this study started by reviewing all of the information that was undertaken in 2011.

Traffic Surveys Undertaken in Deal

- 1.2.5. This report sets out the data collection undertaken in November and December 2017 on several roads in and around the area of Deal. The survey results collected will be fed into the calibration and validation of the DDTM.
- 1.2.6. The following data collection methods were employed as part of the surveys:
- Automatic Traffic Counts (ATC) from installed rubber tubes; and

- Manual Classified Counts (MCC) from video footage.

1.2.7. Each of these methods is described in more detail in the following chapter of this report. Furthermore, a comparative analysis has been carried out between the ATCs and MCCs to understand the consistency of the data. The trend between the 2015 and 2017 data has also been analysed.

2. HIGHWAY DATA

2.1. WHAT WAS COMMISSIONED

2.1.1. WSP commissioned a large-scale survey of key roads and junctions in the Deal area. These surveys were designed in order to provide a complete set of observed counts to compare against traffic volumes within the DDTM.

2.2. DATA COLLECTION TECHNIQUES

2.2.1. Details of the two data collection techniques used are provided below.

Automatic Traffic Counts (ATC)

2.2.2. Automatic Traffic Counts (ATC) were carried out at 40 locations as shown in Figure 1. At each location, ATC tubes were placed for two consecutive weeks, in order to allow an average weeks' worth of data to be extracted reliably. The details of the ATC sites are given in Appendix A.




Figure 1: ATC Locations

2.2.3. Table 1 shows the date and duration of the ATC surveys as well as the dates taken into consideration for the data analysis. The data for the neutral weekdays' i.e. Tuesday, Wednesday and Thursday are averaged over two weeks throughout 24 hours.

Table 1: Average Weekday ATC Survey Dates

Sites	Survey Dates	Data Analysis Dates
All Sites except 6, 17 and 19	Monday, 20 th November - Sunday, 3 rd December 2017	Tuesday-Thursday, 21-23 th November 2017, Tuesday-Thursday, 28-30 th November 2017
Sites 6 and 17	Monday, 20 th November – Saturday, 9 th December 2017	Tuesday-Thursday, 28-30 th November and Tuesday-Thursday, 5-7 th December 2017
Site 19	Monday, 26 th November – Saturday, 9 th December 2017	Tuesday-Thursday, 28-30 th November and Tuesday-Thursday, 5-7 th December 2017

2.2.4. There were issues with Site 19 which meant the ATC data was collected a week later than all the other sites. Sites 6 and 17 were left down for an additional week and removed at the same time as site 9.

2.2.5. The data was collected in 15 minute time intervals and fully classified by vehicle class (ARX SYSTEM). In order to reduce the complexity during the data analysis, the vehicle categories have been broadly classified into Car (Class 2), LGV (Class 3 and 4) and HGV (Class 5-10). Motorcycles (Class 1) have been ignored in the analysis.

2.2.6. Average weekday hourly volume has been calculated from 15-minute period vehicle count data. Any time periods within the data analysis dates containing unreliable count data (e.g. ATC tubes are broken returning zero counts), have been excluded from the averages.

2.2.7. As shown in Figure 2, for Site 5 - London Road [30M] – in the Northbound direction it was observed that the traffic volume for 22nd November reduces significantly during the time period of 10:00-12:00 and 16:00-17:00, therefore data for these time period has been excluded from further calculations.




Figure 2: Examples of Inconsistent Data – Removing Outliers

2.2.8. All the outliers observed in the data are tabulated in Table 2.

Table 2: ATC Survey Outliers

Site Number	Site Name	Direction	Date	Time	Reason
2	A256	SB	29-11-17	0000-0100	Too high volume
5	LONDON RD	NB	22-11-17	1000-1200 1600-1700	Too high volume
5	LONDON RD	SB	22-11-17	1000-1200 1600-1700	Too high volume
7	RECTORY RD	NB	21-11-17 28-11-17	1600-1800 1500-1800	Too low volume
7	RECTORY RD	SB	21-11-17	1600-1800	Too low volume
16	WINKLANDS OAKS LN.	NB	21-11-17	1700-1800	Too high volume
23	HONEYWOOD PARK	NB	22-11-17	1000-1100	Zero count in raw data from 1000 to 1015
32	BEACH ST.	NB	30-11-17	2100-2200	Zero count in raw data from 2115 to 2145
32	BEACH ST.	SB	21-11-17	1300-1400	Vehicle count reduces unexpectedly for the quarter 1345 to 1400

2.2.9. Figure 3 shows some of the samples of consistent data




Figure 3: Examples of Consistent Data

2.2.10. Plots of average hourly variation of average weekday by directions are shown in **Appendix A** for all the 40 ATC sites.

Discrepancy of Data at Site 6:

2.2.11. The ATC tube at The Strand – Site 6 shows high variation between the traffic counts of each day. The traffic counts are available for 3 weeks. An unfruitful attempt was made to remove the data of some days in order to get some consistent data.

2.2.12. Figure 4 shows the variation of traffic for neutral days of the 3 weeks for both directions. The possible reason for such high degree of variation in recorded traffic counts may be due to cars parked alongside the road, which might have interfered with the functioning of ATC tube. Given the variation all records were used and the average flows inputted into the DDTM.




Figure 4: Daily Traffic Variation at Site 6

2.3. MANUAL CLASSIFIED COUNTS (MCC)

2.3.1. Manual Classified turning Counts were carried out at 9 junctions. Figure 5 shows the location map of the MCC sites. The details of the junctions are given in Appendix A.




Figure 5: MCC Locations

2.3.2. The data was extracted for the peak hours, i.e. AM Peak hour (08:00 – 09:00) and PM Peak hour (17:00 – 18:00). The data was enumerated for the peak hours for a neutral weekday i.e. Wednesday, 22nd November 2017. The enumerated data covers the count of vehicle numbers in each 15-minute period, broken down by direction of travel and 3 vehicles categories Car, LGV and HGV. The category of HGV includes OGV1, OGV2 and PSV.

2.3.3. Table 3 to Table 11 presents the MCC analysis for each of the junctions.

Table 3: MCC Analysis of Site 1 - A2 / Deal Road / Jubilee Way / A258

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
1	A	A2	Entry	1010	171	162	1343	937	101	92	1130
			Exit	891	136	113	1140	806	95	101	1002
	B	Deal Road	Entry	982	107	33	1122	455	72	9	536
			Exit	503	134	24	661	1068	100	17	1185
	C	Jubilee Way	Entry	381	91	111	583	794	86	101	981
			Exit	688	109	162	959	303	43	88	434
	D	A258	Entry	455	70	10	535	424	39	8	471
			Exit	746	60	17	823	433	60	4	497

Table 4: MCC Analysis of Site 2 - Sandwich Road / A2 / Honeywood Road / Whitfield Hill

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
2	A	Sandwich Road	Entry	606	66	17	689	407	52	7	466
			Exit	437	68	24	529	645	88	9	742
	B	A2 (East)	Entry	583	75	96	754	457	67	86	610
			Exit	638	120	140	898	657	74	83	814
	C	Honeywood Road	Entry	530	85	59	674	755	57	19	831
			Exit	619	75	35	729	461	42	45	548
	D	A256	Entry	592	79	26	697	703	90	10	803
			Exit	674	100	24	798	697	70	7	774
	E	A2 (West)	Entry	700	158	144	1002	655	74	102	831
			Exit	643	100	119	862	517	66	80	663

Table 5: MCC Analysis of Site 3 - London Road / Manor Road / Rectory Road

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
3	A	London Rod (North East)	Entry	587	75	14	676	381	52	5	438
			Exit	469	86	25	580	537	61	8	606
	B	Manor Road	Entry	328	29	7	364	248	25	4	277
			Exit	190	44	6	240	327	27	2	356
	C	Rectory Road	Entry	132	11	4	147	127	11	1	139
			Exit	95	11	6	112	153	13	2	168
	D	London Road (North West)	Entry	483	111	22	616	679	68	7	754
			Exit	776	85	10	871	418	55	5	478

Table 6: MCC Analysis of Site 4 - Beach Street / Broad Street

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
4	A	Broad Street	Entry	166	43	20	229	272	15	7	294
			Exit	217	36	14	267	264	29	6	299
	B	Beach Street (North)	Entry	211	35	9	255	196	22	3	221
			Exit	228	47	1	276	281	17	1	299
	C	Beach Street (South East)	Entry	354	66	13	433	430	37	6	473
			Exit	285	60	27	372	347	27	9	383
	D	Beach Street (South West)	Entry	0	0	0	0	0	0	0	0
			Exit	1	1	0	2	6	1	0	7

Table 7: MCC Analysis of Site 5 - Cornwall Road / Dover Road / Archery Square

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
5	A	Cornwell Road	Entry	141	24	4	169	112	14	2	128

	B	Dover Road (North)	Exit	110	13	4	127	137	8	3	148
			Entry	373	68	26	467	346	38	9	393
			Exit	400	66	14	480	504	49	6	559
	C	Archery Square	Entry	16	2	0	18	13	1	0	14
			Exit	29	9	0	38	33	1	0	34
	D	Dover Road (South)	Entry	461	70	15	546	578	50	7	635
Exit			452	76	27	555	375	45	9	429	

Table 8: MCC Analysis of Site 6 - Albert Road / Sutherland Road / London Road / Beechwood Avenue

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
6	A	Sutherland Road	Entry	10	0	0	10	8	1	0	9
			Exit	2	0	0	2	4	0	0	4
	B	Albert Road	Entry	213	53	8	274	141	16	1	158
			Exit	143	47	10	200	165	17	0	182
	C	London Road (East)	Entry	248	36	15	299	341	36	6	383
			Exit	274	56	19	349	314	22	8	344
	D	Beechwood Avenue	Entry	0	0	0	0	0	0	0	0
			Exit	35	6	0	41	18	1	0	19
	E	London Road (South West)	Entry	365	71	24	460	393	25	7	425
			Exit	382	51	18	451	382	38	6	426

Table 9: MCC Analysis of Site 7 - West Street / Queen Street / Blenheim Road

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
7	A	West Street	Entry	232	25	6	263	337	21	0	358

	B	Queen Street	Exit	237	30	8	275	329	23	1	353
			Entry	176	33	14	223	244	27	6	277
			Exit	165	43	18	226	207	12	7	226
	C	Blenheim Road	Entry	0	0	0	0	0	0	0	0
			Exit	78	11	2	91	95	3	0	98
	D	Queen Street	Entry	300	59	22	381	357	26	8	391
			Exit	228	33	14	275	307	36	6	349

Table 10: MCC Analysis of Site 8 - Dover Road / Station Road / Gram's Road

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
8	A	Station Road	Entry	165	26	9	200	119	12	2	133
			Exit	106	20	10	136	267	35	3	305
	B	Dover Road (North)	Entry	640	77	27	744	352	45	9	406
			Exit	376	73	16	465	647	62	3	712
	C	Gram's Road	Entry	66	8	0	74	33	2	0	35
			Exit	61	16	3	80	67	1	1	69
	D	Dover Road (South)	Entry	420	90	22	532	883	93	6	982
			Exit	748	92	29	869	406	54	10	470

Table 11: MCC Analysis of Site 9 - London Road / Mongeham Road

Site Number	Arm	Arm Name	Entry/Exit	AM				PM			
				Car	LGV	HGV	Total	Car	LGV	HGV	Total
9	A	London Road (North West)	Entry	501	114	24	639	712	64	7	783
			Exit	788	80	11	879	396	50	5	451
	B	London Road (South East)	Entry	777	83	10	870	403	53	5	461
			Exit	477	108	22	607	689	65	7	761
	C	Mongeham Road	Entry	174	17	2	193	155	11	0	166
			Exit	187	26	3	216	185	13	0	198

2.4. MCC AND ATC COMPARISON

2.4.1. The MCC was undertaken during the two week ATC period and in order to check the consistency of data, a comparison was made between the MCC and ATC sites for the AM peak (08:00-09:00) and PM peak (17:00-18:00). The traffic counts for the common sites/arms between the MCC and ATC were recorded in Table 12 along with the percent variation observed.

Table 12: MCC and ATC traffic comparison for common sites

MCC Site Number	Arm	Arm Name	Entry/Exit	MCC		ATC Site Number	ATC		% Difference	
				AM	PM		AM	PM	AM	PM
1	B	Deal Road	Entry	1122	536	24	1125	523	-0.3%	2.4%
			Exit	661	1185		579	1167	12.4%	1.5%
3	B	Manor Road	Entry	364	277	8	312	272	14.3%	1.8%
			Exit	240	356		236	362	1.7%	-1.7%
3	C	Rectory Road	Entry	147	139	7	133	140	9.5%	-0.7%
			Exit	112	168		110	171	1.8%	-1.8%
4	B	Beach Street (North)	Entry	255	221	32	260	225	-2.0%	-1.8%
			Exit	276	299		278	299	-0.7%	0.0%
5	A	Cornwell Road	Entry	169	128	37	160	122	5.3%	4.7%
			Exit	127	148		121	141	4.7%	4.7%
7	A	West Street	Entry	263	358	30	264	338	-0.4%	5.6%
			Exit	275	353		268	332	2.5%	5.9%
8	A	Station Road	Entry	200	133	40	180	131	10.0%	1.5%
			Exit	136	305		139	305	-2.2%	0.0%
9	C	Mongeham Road	Entry	193	166	4	121	220	37.3%	-32.5%
			Exit	216	198		241	114	-11.6%	42.4%

- 2.4.2. From Table 12, it is observed that the data remains constant across all the sites, except for the MCC 9.
- 2.4.3. The high percentage difference between ATC and MCC is observed at MCC site 9. The possible reason might be narrow Mongehan Road where ATC tube was laid. Due to which, vehicles in one direction might have to wait to let pass the vehicles of opposite direction. ATC tube might not have given the correct count due to the waiting traffic.

2.5. COMPARISON OF 2015 AND 2017 ATC DATA

- 2.5.1. During 2015, ATC surveys have been carried was carried out at 4 sites (21, 22, 23 and 24) in the Dover area and the comparison is made between the 24-hour traffic profiles of 2015 and 2017 to understand the possible change in traffic flow.
- 2.5.2. Table 13 the list of identified sites that are common in 2015 and 2017 surveys. Figure 6 shows the location of these sites. Figure 7 to Figure 14 shows the variation of the traffic flow for each site between the years.

Table 13 - 2015 and 2017 Common ATC Sites Number

Description	2015 Site Number	2017 Site Number
Forge Lane	7	21
Sandwich Road	18	22
Honeywood Parkway	20 A & 20 B	23
Deal Road	3	24




Figure 6: Common ATC Sites Locations for Comparison of 2015 and 2017 Data

Comparison of Flows at Forge Lane

- 2.5.3. An overall decrease of 10.54% is observed in daily traffic in 2017 in accordance with 2015. The decrease in the traffic is observed across all categories i.e., 4.79% in Car, 42.78% in LGV and 72.38% in HGV.
- 2.5.4. In northbound direction, a decrease of 23.49% is observed in daily traffic while in southbound direction shows an increase of 6.06% in daily traffic.




Figure 7: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Forge Lane Northbound




Figure 8: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Forge Lane Southbound

Comparison of Flows at Sandwich Road

- 2.5.5. From the data comparison, an overall increase of 1.15% is observed in average daily traffic with an increase of 6.17% in Car and decrease in 23.49% in LGV and 8.38% in HGV.
- 2.5.6. In northbound direction, an increase of 4.25% in daily traffic while in the southbound direction a decrease of 1.78% in daily traffic is observed.




Figure 9: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Sandwich Road Northbound




Figure 10: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Sandwich Road Southbound

Comparison of flows at Honeywood Parkway

2.5.7. An overall increase of 14.76% is observed in the daily traffic in 2017 with an increase of 27.14% in Car and decrease of 32.73% in LGV and 31.60% in HGV.

2.5.8. The comparison shows an increase of 43.41% in the northbound direction and a decrease of 2.67% in the southbound direction.




Figure 11: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Honeywood Parkway Northbound




Figure 12: Comparison of Temporal Variation – by Vehicle Typs – 2015 vs 2017 – Honeywood Parkway Southbound

Comparison of Flows Deal Road

2.5.9. From the data comparison, an increase of 13.25% is observed in average daily traffic with an increase of 18.93% in Car and a decrease of 8.82% in LGV and 70.59% in HGV.

2.5.10. The comparison shows an increase of 20.53% in the northbound direction and 6.77% in the southbound direction.




Figure 13: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Deal Road Northbound




Figure 14: Comparison of Temporal Variation – by Vehicle Type – 2015 vs 2017 – Deal Road Southbound

2.6. COMPARISON OF 2015 AND 2017 MCC DATA

2.6.1. In 2015, a MCC was carried out at A2 / Deal Road / Jubilee Way / A258 (Site 1 in Figure 5) and Sandwich Road / A2 / Honeywood Road / Whitfield Hill (Site 2 in Figure 5) junctions.

2.6.2. A comparison was made between the MCC of 2015 and 2017 for these 2 sites to understand the possible variation in the traffic flow.

Site 1: Duke of York Roundabout (A2 / Deal Road / Jubilee Way / A258)

2.6.3. Figure 15 shows the Site 1 and the labels given to the arms.

- Arm A: A2
- Arm B: Deal Road – A258
- Arm C: Jubilee Way
- Arm D: A258

2.6.4. The comparison of the traffic counts between 2015 and 2017 are shown in Table 14 and Table 15 for the morning and evening peak hours, which are 08:00-09:00 and 17:00-18:00 respectively.

2.6.5. Figure 16 and Figure 17 show the graphs for the comparison of the total traffic for each turning movement for morning and evening peak hour respectively.

2.6.6. The 'Junction Total' in the Table 14 and Table 15 includes U-turns. But since their numbers are low, they have not been shown as separate rows in the respective tables and bar graphs.




Figure 15: Site 1 Duke of York Roundabout Arms

Table 14: MCC Comparison between 2015 and 2017 for AM Peak Hour- Site 1

Arm	AM Peak Hour (8:00-9:00)											
	2015				2017				% Change in Traffic			
	Car	LGV	HGV	Total	Car	LGV	HGV	Total	Car	LGV	HGV	Total
A-B	221	63	10	294	233	72	13	318	5.4%	14.3%	30.0%	8.2%
A-C	285	44	93	422	321	65	141	527	12.6%	47.7%	51.6%	24.9%
A-D	462	46	7	515	456	34	7	497	-1.3%	-26.1%	0.0%	-3.5%
B-A	384	46	5	435	343	43	5	391	-10.7%	-6.5%	0.0%	-10.1%
B-C	306	17	8	331	353	41	18	412	15.4%	141.2%	125.0%	24.5%
B-D	300	17	8	325	286	23	10	319	-4.7%	35.3%	25.0%	-1.8%
C-A	193	38	81	312	255	51	101	407	32.1%	34.2%	24.7%	30.4%
C-B	112	33	4	149	121	37	7	165	8.0%	12.1%	75.0%	10.7%
C-D	5	2	0	7	4	2	0	6	-20.0%	0.0%	0.0%	-14.3%
D-A	280	20	4	304	293	42	6	341	4.6%	110.0%	50.0%	12.2%
D-B	107	16	4	127	149	25	4	178	39.3%	56.3%	0.0%	40.2%
D-C	7	2	0	9	13	2	0	15	85.7%	0.0%	0.0%	66.7%
Junction Total	2682	348	226	3256	2828	439	316	3583	5.4%	26.1%	0.0%	10.0%




Figure 16: Graph showing Traffic MCC Comparison for AM Peak Hour (08:00-09:00) – Duke of York Roundabout

Table 15: MCC Comparison between 2015 and 2017 for PM Peak Hour- Duke of York Roundabout

Arm	PM Peak Hour (17:00-18:00)											
	2015				2017				% Change in Traffic			
	Car	LGV	HGV	Total	Car	LGV	HGV	Total	Car	LGV	HGV	Total
A-B	374	28	4	406	460	38	4	502	23.0%	35.7%	0.0%	23.6%
A-C	104	17	56	177	172	25	85	282	65.4%	47.1%	51.8%	59.3%
A-D	207	12	5	224	282	36	1	319	36.2%	200.0%	-80.0%	42.4%
B-A	223	33	1	257	187	30	6	223	-16.1%	-9.1%	500.0%	-13.2%
B-C	69	6	0	75	125	18	1	144	81.2%	200.0%	0.0%	92.0%
B-D	141	20	3	164	143	24	2	169	1.4%	20.0%	-33.3%	3.0%
C-A	396	24	82	502	368	41	88	497	-7.1%	70.8%	7.3%	-1.0%
C-B	303	28	0	331	418	45	10	473	38.0%	60.7%	0.0%	42.9%
C-D	133	15	0	148	8	0	1	9	-94.0%	-100.0%	0.0%	-93.9%
D-A	264	22	3	289	228	22	5	255	-13.6%	0.0%	66.7%	-11.8%
D-B	238	16	0	254	190	17	3	210	-20.2%	6.3%	0.0%	-17.3%
D-C	2	3	1	6	6	0	0	6	200.0%	-100.0%	-100.0%	0.0%
Junction Total	2462	224	159	2845	2610	298	210	3118	6.0%	33.0%	0.0%	9.6%




Figure 17: Graph showing Traffic MCC Comparison for PM Peak Hour (17:00-18:00) – Duke of York Roundabout

2.6.7. From comparing the total traffic on the junction, there is about 10% rise in the traffic at the intersection in 2017 as compared to 2015.

Site 2: Whitfield Roundabout (Sandwich Road / A2 / Honeywood Road / Whitfield Hill)

2.6.8. Figure 18 shows the Site 2 and the designation given to the arms.

- Arm A : Sandwich Road
- Arm B: A2 – Dover side
- Arm C: Honeywood Road
- Arm D: Whitfield Road / A256
- Arm E: A2 – London side

2.6.9. Since the arms were labelled differently in 2015 and 2017, the labelling as per 2017 was considered for further comparison in this report.

2.6.10. The comparison of the traffic counts between 2015 and 2017 are shown in Table 16 and Table 17 for the morning and evening peak hours, which are 08:00-09:00 and 17:00-18:00 respectively.

2.6.11. Figure 19 and Figure 20 shows the graphs for the comparison of the total traffic for each turning movement for morning and evening peak hour respectively.

2.6.12. The ‘Junction Total’ in the Table 16 and Table 17 includes U-turns. But since their numbers are low, they have not been shown as separate rows in the respective tables and bar graphs.




Figure 18: Plan of Site 2 showing arm labels

Table 16: MCC Comparison between 2015 and 2017 for AM Peak Hour- Site 2

Arm	AM Peak Hour (8:00-9:00)											
	2015				2017				% Change in Traffic			
	Car	LGV	HGV	Total	Car	LGV	HGV	Total	Car	LGV	HGV	Total
A-B	110	7	1	118	118	10	4	132	7.3%	42.9%	300.0%	11.9%
A-C	185	14	8	207	179	20	8	207	-3.2%	42.9%	0.0%	0.0%
A-D	232	18	3	253	214	23	2	239	-7.8%	27.8%	-33.3%	-5.5%
A-E	94	5	0	99	95	12	2	109	1.1%	140.0%	0.0%	10.1%
B-A	48	9	2	59	61	17	5	83	27.1%	88.9%	150.0%	40.7%
B-C	50	12	8	70	51	2	7	60	2.0%	-83.3%	-12.5%	-14.3%
B-D	253	28	10	291	183	19	6	208	-27.7%	-32.1%	-40.0%	-28.5%
B-E	213	17	53	283	282	36	78	396	32.4%	111.8%	47.2%	39.9%
C-A	157	16	8	181	176	19	14	209	12.1%	18.8%	75.0%	15.5%
C-B	54	8	11	73	68	7	13	88	25.9%	-12.5%	18.2%	20.5%
C-D	158	31	8	197	155	32	8	195	-1.9%	3.2%	0.0%	-1.0%
C-E	73	13	13	99	117	24	24	165	60.3%	84.6%	84.6%	66.7%
D-A	184	25	1	210	161	19	3	183	-12.5%	-24.0%	200.0%	-12.9%
D-B	153	22	3	178	129	21	5	155	-15.7%	-4.5%	66.7%	-12.9%
D-C	218	26	7	251	191	17	11	219	-12.4%	-34.6%	57.1%	-12.7%
D-E	110	21	7	138	111	22	7	140	0.9%	4.8%	0.0%	1.4%
E-A	41	11	6	58	39	12	1	52	-4.9%	9.1%	-83.3%	-10.3%
E-B	315	60	74	449	317	81	118	516	0.6%	35.0%	59.5%	14.9%
E-C	187	26	13	226	184	33	9	226	-1.6%	26.9%	-30.8%	0.0%
E-D	156	30	6	192	122	26	8	156	-21.8%	-13.3%	33.3%	-18.8%

Junction Total	3043	409	242	3694	3011	463	342	3816	-1.1%	13.2%	41.3%	3.3%
-----------------------	------	-----	-----	-------------	------	-----	-----	-------------	-------	-------	-------	-------------




Figure 19: Graph showing Traffic MCC Comparison for AM Peak Hour (08:00-09:00) – Site 2

Table 17: MCC Comparison between 2015 and 2017 for PM Peak Hour- Site 2

Arm	PM Peak Hour (17:00-18:00)											
	2015				2017				% Change in Traffic			
	Car	LGV	HGV	Total	Car	LGV	HGV	Total	Car	LGV	HGV	Total
A-B	24	1	1	26	81	13	0	94	237.5%	1200.0%	-100.0%	261.5%
A-C	128	13	6	147	124	11	6	141	-3.1%	-15.4%	0.0%	-4.1%
A-D	165	25	0	190	167	21	1	189	1.2%	-16.0%	0.0%	-0.5%
A-E	38	4	1	43	35	7	0	42	-7.9%	75.0%	-100.0%	-2.3%
B-A	60	4	1	65	86	16	0	102	43.3%	300.0%	-100.0%	56.9%
B-C	34	2	16	52	30	4	16	50	-11.8%	100.0%	0.0%	-3.8%
B-D	191	13	5	209	123	13	0	136	-35.6%	0.0%	-100.0%	-34.9%
B-E	201	33	56	290	215	33	70	318	7.0%	0.0%	25.0%	9.7%
C-A	244	9	8	261	209	21	6	236	-14.3%	133.3%	-25.0%	-9.6%
C-B	43	2	2	47	107	5	3	115	148.8%	150.0%	50.0%	144.7%
C-D	289	28	5	322	290	21	2	313	0.3%	-25.0%	-60.0%	-2.8%
C-E	123	11	5	139	145	10	8	163	17.9%	-9.1%	60.0%	17.3%
D-A	306	26	0	332	282	42	2	326	-7.8%	61.5%	0.0%	-1.8%
D-B	131	16	3	150	162	17	2	181	23.7%	6.3%	-33.3%	20.7%
D-C	169	12	7	188	151	16	4	171	-10.7%	33.3%	-42.9%	-9.0%
D-E	98	10	3	111	68	9	1	78	-30.6%	-10.0%	-66.7%	-29.7%
E-A	42	6	5	53	68	9	1	78	61.9%	50.0%	-80.0%	47.2%
E-B	61	8	119	188	304	38	78	420	398.4%	375.0%	-34.5%	123.4%
E-C	95	12	40	147	152	11	19	182	60.0%	-8.3%	-52.5%	23.8%
E-D	82	10	28	120	115	15	4	134	40.2%	50.0%	-85.7%	11.7%

Junction Total	2553	246	314	3113	2939	334	223	3496	15.1%	35.8%	-29.0%	12.3%
-----------------------	------	-----	-----	-------------	------	-----	-----	-------------	-------	-------	--------	--------------





Figure 20: Graph showing Traffic MCC Comparison for PM Peak Hour (17:00-18:00) – Site 2

- 2.6.13. At this junction, there is 12.3% rise in the PM traffic in 2017 as compared to 2015, where as 3.3% rise is observed in AM traffic.
- 2.6.14. Also, there is large increase observed in evening traffic going from A2- London side to A2- Dover Side.

Appendix A

SURVEY LOCATIONS (ATC & MCC)



ATC Survey Location details:

No.	Road/ Location
1	Sandwich Rd / A258 [50m]
2	A 256 [70m]
3	Northbourne Road [60m]
4	Mongeham Road [30m]
5	London Road [30m]
6	The Strand [30m]
7	Rectory Road [30m]
8	Manor Road [30m]
9	Willow Woods Road [60m]
10	Beacon Hill [60m]
11	Ellens Road [60m]
12	Dover Road [30m]
13	Stoneheap Road [30m]
14	Church Hill [60m]
15	Ringwould Road [50m]
16	Winklands Oaks Lane [60m]
17	Sutton Lane [30m]
18	Roman Road [30m]
19	Waldershare Road [60m]
20	A 256 [70m]
21	Forge Lane [60m]
22	Sandwich Road [30m]
23	Honeywood Park [30m]
24	A258 [50m]
25	Straight Mile [60m]
26	Northbourne Road [60m]
27	Northbourne Lane [60m]
28	St. Richard's Road [30m]
29	Albert Road [30m]
30	West Street [30m]
31	High Street [30m]
32	Beach Street [30m]
33	Mill Road [30m]


34	Park Avenue [30m]
35	Mill Road [30m]
36	Park Avenue [30m]
37	Cornwall Road [30m]
38	Manor Road [30m]
39	St. Leonard's Road [30m]
40	Station Road [30m]

MCC Survey Location details:


Site No	Junction
1	A2 / Deal Road / Jubilee Way / A258
2	Sandwich Road / A2 / Honeywood Road / Whitfield Hill
3	London Road / Manor Road / Rectory Road
4	Beach Street / Broad Street
5	Cornwall Road / Dover Road / Archery Square
6	Albert Road / Sutherland Road / London Road / Beechwood Avenue
7	West Street / Queen Street / Blenheim Road
8	Dover Road / Station Road / Gram's Road
9	London Road / Manor Road / Rectory Road

Appendix B


ATC SURVEY RESULTS APPENDIX TITLE




Site 1: SANDWICH ROAD / A258 – Average hourly variation




Site 2: A 256 – Average hourly variation




Site 3: NORTHBOURNE ROAD – Average hourly variation




Site 4: MONGEHAM ROAD – Average hourly variation




Site 5: LONDON ROAD – Average hourly variation




Site 6: THE STRAND – Average hourly variation




Site 7: RECTORY ROAD – Average hourly variation




Site 8: MANOR ROAD – Average hourly variation




Site 9: WILLOW WOODS ROAD – Average hourly variation




Site 10: BEACON HILL – Average hourly variation




Site 11: ELLENS ROAD – Average hourly variation




Site 12: DOVER ROAD – Average hourly variation




Site 13: STONEHEAP ROAD – Average hourly variation




Site 14: CHURCH HILL – Average hourly variation




Site 15: RINGWOULD RD – Average hourly variation




Site 16: WINKLANDS OAKS LANE – Average hourly variation




Site 17: SUTTON LANE – Average hourly variation




Site 18: ROMAN ROAD – Average hourly variation




Site 19: WALDERSHARE ROAD – Average hourly variation




Site 20: A 256 – Average hourly variation




Site 21: FORGE LANE – Average hourly variation




Site 22: SANDWICH ROAD – Average hourly variation




Site 23: HONEYWOOD PARK – Average hourly variation




Site 24: A258 – Average hourly variation




Site 25: STRAIGHT MILE – Average hourly variation




Site 26: NORTHBOURNE ROAD – Average hourly variation




Site 27: NORTHBOURNE LANE – Average hourly variation




Site 28: ST. RICHARD'S RD. – Average hourly variation




Site 29: ALBERT RD – Average hourly variation




Site 30: WEST STREET – Average hourly variation




Site 31: HIGH STREET – Average hourly variation




Site 32: BEACH ST. – Average hourly variation




Site 33: MILL RD. – Average hourly variation




Site 34: PARK AVE – Average hourly variation




Site 35: MILL RD. – Average hourly variation




Site 36: PARK AVE – Average hourly variation




Site 37: CORNWALL RD. – Average hourly variation




Site 38: MANOR RD. – Average hourly variation



Site 39: ST. LEONARD'S RD. – Average hourly variation



Site 40: STATION RD – Average hourly variation





WSP House
70 Chancery Lane
London
WC2A 1AF